



Aquatic Venue Required Signage

All lettering must be on a contrasting background and be at least 36 point font (about 5/16 of an inch high), unless otherwise specified.

Section 4-402.2 Requirements:

1. **This information is required for all aquatic venues and must be posted at each entrance into the aquatic facility:**

- In case of an emergency, dial 911.
- Operating hours of the Aquatic Facility are _____. Unauthorized use of the Aquatic Facility outside of these hours is prohibited.
- No smoking in the Aquatic Venue or on the Deck.
- Do not swim if you have open wounds.
- Do not swim if you are ill with diarrhea or have had diarrhea within the past two weeks.
- Shower before entering the water.
- No glass items allowed in the Aquatic Venue or on the Deck.
- Diaper changing on the Deck is prohibited.
- No animals on the deck except service animals and no animals allowed in the Aquatic Venue.
- Qualified Operator information.

Note: Include company/operator name, contact information, and the company/operator certificate number issued by the Health Authority.

2. **This information must be posted within 30 feet of each entrance to each aquatic venues and be visible to bathers in the aquatic venues:**

- NO DIVING (**in letters at least four (4) inches high**)
- Location of the nearest emergency phone.
- Contact information for Aquatic Facility management and emergency personnel.
- Theoretical Peak Occupancy (Capacity).
- Pollution of the Aquatic Venues are prohibited.
- Do not swallow or spit aquatic venue water.
- Intentional hyperventilation or extended breath holding activities are dangerous and prohibited.

3. **This information must be posted at the exit from each restroom:**

- Do not swim when ill with diarrhea or with open wounds or sores.
- Shower before entering the water.
- Diaper changing on the deck is prohibited. Check your child's swim diapers/rubber pants regularly.
- Do not poop or pee in the aquatic venue.
- Do not swallow or spit water.
- Wash hands before returning to the aquatic venue.

Section 3-603.6 (A) (3) Requirements:

4. **This information is required to be posted and maintained at the location of the emergency telephone, system, or device.**
- Aquatic Facility address.
 - Emergency dialing instructions.

Section 3-603.9 & 4-402.2 (H) Requirements

5. **In addition to the signage requirements in Item #2 highlighted in blue above, this information must be posted at each spa:**
- Children under 12 years of age must be accompanied by an adult. The maximum recommended exposure time for such children is 10 minutes. **(in letters at least four (4) inches high)**
 - Extended exposure to hot water or vapors may be detrimental to the health of elderly persons and persons with heart conditions, diabetes, or high or low blood pressure.
 - Pregnant women and people with heart disease, high blood pressure or other health problems should not use Spas without prior consultation with a healthcare provider.
 - No Solo Bathing.
 - Maximum water temperature is 104°F.

Section 3-603.8 (D) & 4-402.2 (D-E))

6. **In addition to the signage requirements in Item #2 highlighted in blue above, this information must be posted at each pool not required to have lifeguards:**
- No Lifeguard on Duty. **(in letters at least four (4) inches high)**
 - Children under 14 years of age must have adult supervision.
 - No Solo Bathing.
 - CPR posters reflecting the latest standards.
 - First aid location(s). **(Include when facility has on-site staff available during pool hours.)**
 - Imminent Health Hazards (which require immediate correction or closure of the aquatic venue/aquatic facility) include:
 - ♦ Failure to provide adequate supervision and required staffing.
 - ♦ Failure to provide required disinfection levels.
 - ♦ Failure to treat and achieve proper disinfection following contamination event.
 - ♦ Failure to maintain pH levels between 6.5 and 8.0.
 - ♦ Failure to continuously operate filtration and disinfection equipment.
 - ♦ Failure to maintain Cyanuric Acid levels below 100 PPM.
 - ♦ Use of an unapproved water supply source for potable water observed.
 - ♦ Absence of all required lifesaving equipment on deck observed.
 - ♦ Failure to maintain GFCI protection for underwater lighting as required.
 - ♦ Aquatic venue bottom not visible.
 - ♦ Total absence or improper marking of depth observed.
 - ♦ Plumbing cross-connections between drinking water and waste water observed.
 - ♦ Failure to maintain the barrier to prevent unauthorized access to the aquatic venue.
 - ♦ Use of unapproved chemicals or application by unapproved methods.
 - ♦ Broken, unsecured, or missing suction outlet covers observed.
 - ♦ Broken glass or sharp objects in the venue or on deck observed.